SPRING COLOR

FINITURE NATURALI DAL 1992

CRYSTAL

DESCRIPTION

Crystal is a quartz-based exterior paint formulated without the use of animal proteins.
It adheres excellently to the substrate, is opaque and dense, and gives the surface a uniform, matt finish.

COMPONENTS

Calcium carbonates, preservative, wetting agent, dispersant, cellulose thickener, starch, titanium, wax, vinyl dispersion.

PREPARATION OF SUPPORT AND APPLICATION

To ensure the product is applied correctly and lasts, please follow these instructions:

- The surfaces to be treated must be sound, solid, uniform, clean, and free from mould, lichen, greasy and/or oily residues, dust and/or particles of any kind, and must not be affected by rising damp. Any loose or unstable parts must be removed in order to restore the substrate to optimal condition, which is necessary for the correct application of the product.
- Apply the Fissativo to substrates where the surface needs to be levelled, whether due to minor imperfections or variations in absorbency.
- Crystal adheres to existing paint layers, whether old or recent, provided their perfect adhesion and the necessary degree of absorbency have been verified. If they do not meet these requirements, total or partial removal is recommended.

Stir well before use.
Allow 6–8 hours to elapse between coats, ensuring that the surface is completely dry. Surface temperatures must be between 7°C and 30°C, with ambient humidity not exceeding 80%, both during application and for the following 48 hours.

APPLICATION DATA

DILUTION: 10%–15% with water
COVERAGE: 6–8 m²/l per coat, depending on the roughness and absorbency of the surface.
TOOLS: brush, roller, spray.

SPRING COLOR

FINITURE NATURALI DAL 1992

GENERAL CHARACTERISTICS

COLOUR: white
TINTING: using the Terre Effervescenti Spring Color colour system.
PACKAGING: 12-litre bucket, 4-litre bucket, 0.8-litre tin.
STORAGE: 12 months in the original, undamaged packaging, protected from excessively cold temperatures (close to 0°C), frost, temperatures above 30°C and excessively humid environments.
PLACE OF MANUFACTURE: Spring Color headquarters, Via Jesina 63, Castelfidardo (AN)
PLACE OF PACKAGING: Spring Color headquarters, Via Jesina 63, Castelfidardo (AN)
pH: 10
Specific gravity: approx. 1.5 kg/l

SPECIFICATION ITEM

Crystal is a quartz-based exterior paint, formulated without the use of animal proteins.
It adheres excellently to the substrate, is opaque and dense, and gives the surface a uniform, matt finish.
Suitable for our 'Le terre effervescenti' colour system.
Can be applied by roller, brush or spray.
For interior use.
DILUTION: 10–15% with water
COVERAGE: 6–8 m²/l per coat, depending on the roughness and absorbency of the substrate.
TOOLS: brush, roller, spray.

PRODUCT TINTING

Spring Color pigments are derived from natural pigments and produced using traditional methods.
Any variations in shade are attributable to the natural variability of the earth pigments and raw materials, the substrate, the dispersion process, the origin of the pigments, climatic conditions and the applicator's experience. In lime-based products, colour variation is greater; we recommend testing colour accuracy and, if necessary, providing a colour sample. Spring Color colours its finishes using selected and tested earth pigments and oxides. The use of other types of colourants and ingredients does not bind the company in any way.

NOTES

The information provided in this technical data sheet is based on our personal practical experience and should be considered indicative only; it is not intended to be exhaustive. Spring Color reserves the right to make technical modifications without prior notice. This technical data sheet supersedes and replaces all previous editions. Spring Color assumes no responsibility for improper use of the products. This technical data sheet is an informative document and cannot be the basis for legal claims.

SPRING COLOR

FINITURE NATURALI DAL 1992

Since we cannot directly control site conditions or the execution of work, these instructions are general guidelines and do not bind our company in any way. It is therefore recommended to carry out one or more tests to verify the suitability of the product for the intended use.

This product complies with Legislative Decree No. 161 of March 26, 2006: COV/VOC <0.01 g/l.

Warnings:

- **Keep out of reach of children.**
- **All components are suitable for waste disposal.**
- **Avoid disposing of residues into the sewage system.**
- **Consult the Safety Data Sheets.**
- **Do not ingest; protect skin and eyes from contact.**
- **Ensure good ventilation during and after use.**
- **Protect areas not intended to be painted.**